

# IVECO BUS

Drive the road of change



## DAILY ACCESS




The Daily minibus range is now enlarged with a new Low-Entry model: Daily Access. In order to meet the growing needs of public transport operators to satisfy a local transportation service and support them in their energy transition, a new version entirely dedicated to urban and peri-urban missions is available, mainly in Natural Gas engine, compatible with biomethane.

Thanks to its winning combination of high-performance technology, low emissions and low environmental impact, Daily Access can enjoy city centers freeing transport operators from restrictions related to environmental regulations and representing an ideal addition to public transportation fleets.

# Daily Access.

## External Equipment





- 1** WIDE AREA FOR DISABLED PASSENGERS OR STROLLERS
- 2** DRIVER AREA FULLY SEPARATED AND EASILY ACCESSIBLE
- 3** SERVICEABLE TICKETING SYSTEM PREDISPOSAL

- 4** INTERNAL LED LIGHTING
- 5** WIDE DRIVER AREA  
MAXIMUM COMFORT  
NEW MEMORY FOAM SEAT

**To tailor-make your solution, Daily Access is available in 3 versions:**

Daily Access Central Low Entry Van derived, a Class A and Class I CNG Euro VI/E version that features a double door in the center of the vehicle. It allows the transportation of up to 31 passengers, with a wheelchair space as standard for passengers with reduced mobility in the wheelbase.

Daily Access Central Low Entry Chassis derived, a Class II CNG Euro VI/E version that features a double door in the center of the vehicle. It allows the transportation of up to 25 passengers, with a wheelchair space as standard for passengers with reduced mobility in the wheelbase.

Daily Access Rear Low Entry, a Class I Diesel Euro VI/E version that features a single door in the center and a double door in the rear overhang. It allows the transportation of up to 37 passengers, with a wheelchair space as standard for passengers with reduced mobility in the rear overhang.




# DAILY Access. Line Up


Model	Class	GVW	Wheelbase	Engine	Length (mm)	Height (mm)	Width (mm)	Gearbox	Passengers*
Central Low Entry Van	A	6.5 t	4100	136 hp CNG	7153	3280	2190	HI-MATIC	22
Central Low Entry Van	I	7.0 t	4100	136 hp CNG	7153	3280	2190	HI-MATIC	31
Central Low Entry Chassis	II	7.2 t	4350	136 hp CNG	8047	3400	2350	HI-MATIC	25
Rear Low Entry Van	I	6.5 t	4100L	176/207 hp Diesel	7565	3170	2169	HI-MATIC	29
Rear Low Entry Van	I	7.0 t	4100L	176/207 hp Diesel	7565	3170	2169	HI-MATIC	37

\* Including standing passengers


## CENTRAL LOW ENTRY - VAN CNG



13 seats + 1 wheelchair




9 seats + 1 wheelchair




10 seats + 1 wheelchair

## CENTRAL LOW ENTRY - CHASSIS CNG




25 seats

## REAR LOW ENTRY - VAN DIESEL




11 seats + 1 wheelchair



10 seats + 1 wheelchair



10 seats + 1 wheelchair



12 seats + 1 wheelchair

Passenger seat  
  Driver Seat  
  Folding Seat  
  Wheelchair space

# **IVECO** **BUS**

**Drive the road of change**

PUBLICATION DAILY ACCESS\_EN 10/22

The information and images in this catalogue are provided as a guideline only. IVECO BUS reserves the right to make changes for any commercial or construction reasons at any time without notice.